


## THE HEIGHT ADJUSTABLE TABLE COLLECTION




## ErgoStat Pro



Best for: Light duty work with more height adjustability  
Riser Frame: 29 inches of component adjustment above surface  
Surface length: 36, 42, 48, 60, 72 inches  
Surface depth: 24, 30, 36 inches  
Adjustability: Electric, 26" height range  
Load Capacity: 250 pounds, evenly distributed (Base)



## ErgoStat



Best for: Heavy duty, individual or shared work  
Riser Frame: 36 inches of component adjustment above surface  
Surface length: 36, 48, 60, 72 and 96 inches  
Surface depth: 30 or 36 inches  
Adjustability: Electric or pin-adjustable, 15" or 18" height range  
Load Capacity: 750 pounds, evenly distributed (Base)




## Table Base



Best for: Individual task work  
Surface length: 36, 48, 60, 72 and 96 inches  
Surface depth: 24, 30 and 36 inches  
Adjustability: Electric or pin-adjustable, 15" or 18" height range  
Load Capacity: 750 pounds, evenly distributed




## WorkTable



Best for: Teams can work on both sides  
Surface length: 48, 60, 72 and 96 inches  
Surface depth: 30, 36, 42 and 48 inches  
Adjustability: Electric or pin-adjustable, 15" or 18" height range  
Load Capacity: 750 pounds, evenly distributed



## 4-Legged Table



Best for: Heavy equipment needs  
Surface length: 48, 60, 72 and 96 inches  
Surface depth: 24, 30 and 36 inches  
Adjustability: Threaded fasteners, 14" height range  
Load Capacity: 1,000 pounds, evenly distributed





Furnishing the world's best Life Science, Tech and Aerospace Labs since 1984.